



*Up-to-date Questions and Answers from authentic resources to improve knowledge and pass the exam at very first attempt. ---- Guaranteed.*



300-810 Dumps  
300-810 Braindumps  
300-810 Real Questions  
300-810 Practice Test  
300-810 Actual Questions



**Cisco**

**300-810**

*Implementing Cisco Collaboration Applications (CLICA)*



<https://killexams.com/pass4sure/exam-detail/300-810>

**Question: 163**


Which Cisco IM and Presence service must be activated and running for IM Presence to successfully integrate with Cisco Unified Communications Manager?

- A . Cisco DHCP Monitor Service
- B . Cisco AXL Web Service
- C . Self-Provisioning IVR
- D . Cisco XCP Authentication Service

**Answer: B**

**Question: 164**

Refer to the exhibit.



Which statement is true?

- A . If the IM&P node in sub-cluster-1 goes down, then users assigned to it are randomly split between the two remaining subclusters.
- B . The administrator must add one node to each subcluster for high availability.
- C . IM&P nodes in each subcluster must be configured from the same OVA template.
- D . Each Cisco IM&P subcluster must have the same number of nodes.

**Answer: B**

**Question: 165**

SAML SSO is enabled in Cisco Unified Communications Manager.

What happens when a browser-based client attempts to access a protected resource on a service provider?

- A . The browser follows the redirect and issues an HTTPS GET request to the Id
- C . The IdP checks for a valid browser session.

- D . The service provider generates a SAML authentication request.
- E . The SAML request is maintained as a query parameter in the GET request.

**Answer: C**

Explanation:

Reference: [https://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/cucm/SAML\\_SSO\\_deployment\\_guide/12\\_5\\_1/cucm\\_b\\_saml-ss0-deployment-guide-12\\_5/cucm\\_b\\_saml-ss0-deployment-guide-12\\_5\\_chapter\\_01.html](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/SAML_SSO_deployment_guide/12_5_1/cucm_b_saml-ss0-deployment-guide-12_5/cucm_b_saml-ss0-deployment-guide-12_5_chapter_01.html)

**Question: 166**

Refer to the exhibit.

```
Response:
HTTP/1.1 400 Bad Request
Strict-Transport-Security: max-age=31536000
X-Frame-Options: DENY
X-Content-Type-Options: nosniff
Set-Cookie: JSESSIONID=1233ADC137E591GE144792F38123AB09; Patch=/idb/; Secure; HttpOnly
TrackingID: FOS_d0ac0d7b-f4e4-4d83-ba27-d4252e310b88
Cache-Control: no-store
Date: Mon, 06 Jan 2018 10:30:00 GMT
Accept-Ranges: bytes
Server:
Vary: Accept-Charset, Accept-Encoding, Accept-Language, Accept
Access-Control-Allow-Credentials: true
Access-Control-Allow-Headers: Accept, Authorization, Content-Type, TrackingID
Access-Control-Allow-Methods: POST, PUT, PATCH, HEAD, GET, TRACE, CONNECT, OPTIONS, DELETE
Pragma: no-cache
Content-Type: application/json; charset=UTF-8
Connection: close
Content-Length: 176

{"error_description": "The refresh token provided is expired, revoked, malformed, or invalid.", "error": "invalid_request", "trackingID": "FOS_a12b123c-d123-e123-a127-b420be310188"}
```

Apple Push Notification integration is configured in a Cisco Unified IM and Presence deployment and has been working property. Administrators now report the error “Push notification settings cannot be configured. 400 Bad Request.” in the GUI, and HTTP logs are displaying the errors that are shown in the exhibit.

Which action solves this issue?

- A . Fix the network connectivity to Apple iCloud.
- B . Reboot the IM&P cluster.
- C . Change the HTTP proxy settings to remove errors in request syntax.
- D . Update Refresh Token Manually.

**Answer: D**

Explanation:

Reference: [https://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/cucm/push\\_notifications/cucm\\_b\\_pushnotifications-deployment-guide.pdf](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/push_notifications/cucm_b_pushnotifications-deployment-guide.pdf)

**Question: 167**

Refer to the exhibit.

**Voice Mail Port Information**

Voice Mail Pilot Number: 4000

Calling Search Space: < None >

Description: Default

Make this the default Voice Mail Pilot for the system

---

**Hunt Pilot Configuration**

**Status**

i Status: Ready

**Pattern Definition**

Hunt Pilot\*:

Route Partition:

Description:

---

**Call Forward and Call Pickup Settings**

	Voice Mail	Destination	Calling Search Space
Calling Search Space Activation Policy			<input type="text" value="Use System Default"/>
Forward All	<input checked="" type="checkbox"/>	<input type="text" value="4000"/>	<input type="text" value="&lt; None &gt;"/>

Cisco Unity Connection and Cisco Unified Communications Manager are integrated by using SCCP. The Voice Mail Ports are registered. Users report that calls fail when forwarded to voicemail.

Which is a cause of the issue?

- A . The call forward and call pickup settings do not have a CSS on Forward All.
- B . The Voice Mail Port partition on the CSS of the phone is missing.
- C . The Voice Mail Pilot is not configured with a CSS that contains the INTERNAL\_P
- E . The CSS on the Voice Mail Pilot is missing partitions for user phones.

**Answer: D**

**Question: 168**

When Cisco IM and Presence is configured to use automatic fallback, how long does the Server Recovery Manager service wait for a failed service/server to remain active before an automatic fallback is initiated?

- A . 10 minutes
- B . 20 minutes
- C . 30 minutes
- D . 1 hour

**Answer: C**

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/unified-communications/unified-communicationsmanager-im-presence-service/200958-IM-and-Presence-Server-High-Availability.html>

**Question: 169**

What is the maximum number of Cisco Unity Connection locations connected in a HTTPS network?

- A . 50
- B . 25
- C . 200
- D . 10

**Answer: B**

Explanation:

Reference:

[https://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/connection/10x/https\\_networking/guide/10xcuchttpsnetx/10xcuchttpsnet010.html](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/connection/10x/https_networking/guide/10xcuchttpsnetx/10xcuchttpsnet010.html)

**Question: 170**

What is the primary mechanism in Cisco Unity Connection that is used for toll fraud prevention?

- A . restriction tables
- B . fraud tables
- C . transfer rules
- D . calling search spaces

**Answer: A**

Explanation:

Reference: [https://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/connection/10x/security/guide/10xcucsecx/10xcucsec020.pdf](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/connection/10x/security/guide/10xcucsecx/10xcucsec020.pdf)

**Question: 171**

Which authentication method allows a user to log in to an SSO-enabled Cisco Unified Communications application by utilizing a Microsoft Windows login, thereby not requiring any credentials to be entered?

- A . Smart Card
- B . OAuth
- C . form-based
- D . Kerberos

**Answer: B**

Explanation:

Reference: <https://developer.cisco.com/docs/cisco-unified-communications-single-sign-on-tutorial/#!ciscounified-communications-single-sign-on-tutorial/learning-more-about-sso>

**Question: 172**

Which function of the Cisco IM and Presence high availability solution is true?

- A . When the server has been restored to a normal state, user sessions remain on the backup server.
- B . When an event takes place, the end user sessions are not moved from the failed server to the backup.
- C . When the server has been restored, the server automatically fails back.
- D . When a high availability event takes place, the end user sessions are moved from the failed server to the backup.

**Answer: D**

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/unified-communications/unified-communicationsmanager-im-presence-service/200958-IM-and-Presence-Server-High-Availability.html>

**Question: 173**

Which Cisco IM and Presence service must be activated and running for IM Presence to successfully integrate with Cisco Unified Communications Manager?

- A . Cisco DHCP Monitor Service
- B . Cisco AXL Web Service
- C . Self-Provisioning IVR
- D . Cisco XCP Authentication Service

**Answer:** A

**Question:** 174

Which two command line arguments can you specify when installing Cisco Jabber for windows? (Choose two.)

- A . CISCO\_UDS\_DOMAIN
- B . TFTP\_ADDRESS
- C . VOICEMAIL\_SERVER\_ADDRESS
- D . SERVICES\_DOMAIN
- E . TFTP

**Answer:** DE

Explanation:

Reference: [https://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/jabber/11\\_0/CJAB\\_BK\\_D657A25F\\_00\\_deployment-installation-guide-jabber-110/CJAB\\_BK\\_D657A25F\\_00\\_deployment-installation-guide-jabber-110\\_chapter\\_01100.html#JABW\\_RF\\_CE43EF4C\\_00](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/jabber/11_0/CJAB_BK_D657A25F_00_deployment-installation-guide-jabber-110/CJAB_BK_D657A25F_00_deployment-installation-guide-jabber-110_chapter_01100.html#JABW_RF_CE43EF4C_00)

**Question:** 175

Which two methods does Cisco Jabber use for contact searching in an on-premises deployment model? (Choose two.)

- A . HTTP
- B . XMPP
- C . UDS
- D . LDAP
- E . SIP

**Answer:** CD

Explanation:

Reference: [https://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/cucm/srnd/collab11/collab11/presence.html](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/srnd/collab11/collab11/presence.html)

**Question:** 176

Refer to the exhibit.

```
2014-11-07 09:39:53, 855 ERROR [0X00000298] [ice\TelephonyAdapterPhoneDevice.cpp(178)] [TelephonyAdppter]
[TelephonyAdapter::selectDeviceImpl] - switchMode to device [SEP84802D7698D6] failed with error
[eDeviceRegCouldNotOpenDevice]
```

Which end-user option can resolve this issue?

- A . Standard CTI Reception of SRTP Key Material
- B . Standard CTI Allow Calling Number Modification
- C . Standard CTI Allow Control of Phones Supporting Rollover Mode
- D . Standard CTI Allow Call Monitoring

**Answer: A**

**Question: 177**

Which description of an IdP server is true?

- A . authenticates user credentials
- B . provides user authorization
- C . is an authentication request that is generated by a Cisco Unified Communications application
- D . consists of pieces of security information that are transferred to the service provider for user authentication

**Answer: D**

Explanation:

Reference:

[https://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/cust\\_contact/contact\\_center/crs/express\\_12\\_5/features/guide/uccx\\_b\\_125features-guide/uccx\\_b\\_125features-guide\\_chapter\\_01.html](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cust_contact/contact_center/crs/express_12_5/features/guide/uccx_b_125features-guide/uccx_b_125features-guide_chapter_01.html)

**Question: 178**

An engineer must configure a test user mailbox in a newly deployed Cisco Unity Express module.

Which console command set reflects the correct configuration in this scenario?

A)

```
username testuser create
username testuser pin 12345
username testuser phonenumber 4001
voicemail mailbox owner testuser
```

B)

```
username testuser pin 12345
username testuser phonenumber 4001
voicemail mailbox owner testuser
```

C)

```
username testuser phonenumber 4001
username testuser pin 12345
voicemail mailbox owner testuser
```

D)


```
username testuser create
username testuser pin 12345
username testuser phonenumber 4001 testuser@labdomain.com
voicemail mailbox create testuser
```

- A . Option A
- B . Option B
- C . Option C
- D . Option D

**Answer:** A

**Question:** 179

Refer to the exhibit.



Which action allows a remote Cisco Jabber user utilizing Mobile and Remote Access to automatically log in to a Cisco Unity Connection voicemail box via OAuth?

- A . Add CUCM under System Settings > Authz Servers in Cisco Expressway-
- C . Add CUCM under System Settings > Authz Servers in Cisco Expressway-
- E . Add CUCM under System Settings > Authz Servers in Cisco Unity.
- F . Add CUCM under System Settings > Authz Servers in Cisco Unity Connection.

**Answer:** D

Explanation:

Reference: <https://community.cisco.com/t5/unified-communications/jabber-mra-unity-voice-mailintegration-issue/td-p/3195653>

**Question:** 180

Which entity is a standard component used for authentication by SAML 2.0?

- A . identity provider
- B . session broker
- C . Internet service provider
- D . client access server

**Answer:** A



# SAMPLE QUESTIONS

*These questions are for demo purpose only. **Full version is up to date and contains actual questions and answers.***

*Killexams.com is an online platform that offers a wide range of services related to certification exam preparation. The platform provides actual questions, exam dumps, and practice tests to help individuals prepare for various certification exams with confidence. Here are some key features and services offered by Killexams.com:*

**Actual Exam Questions:** *Killexams.com provides actual exam questions that are experienced in test centers. These questions are updated regularly to ensure they are up-to-date and relevant to the latest exam syllabus. By studying these actual questions, candidates can familiarize themselves with the content and format of the real exam.*

**Exam Dumps:** *Killexams.com offers exam dumps in PDF format. These dumps contain a comprehensive collection of questions and answers that cover the exam topics. By using these dumps, candidates can enhance their knowledge and improve their chances of success in the certification exam.*

**Practice Tests:** *Killexams.com provides practice tests through their desktop VCE exam simulator and online test engine. These practice tests simulate the real exam environment and help candidates assess their readiness for the actual exam. The practice tests cover a wide range of questions and enable candidates to identify their strengths and weaknesses.*

**Guaranteed Success:** *Killexams.com offers a success guarantee with their exam dumps. They claim that by using their materials, candidates will pass their exams on the first attempt or they will refund the purchase price. This guarantee provides assurance and confidence to individuals preparing for certification exams.*

**Updated Content:** *Killexams.com regularly updates its question bank and exam dumps to ensure that they are current and reflect the latest changes in the exam syllabus. This helps candidates stay up-to-date with the exam content and increases their chances of success.*

**Technical Support:** *Killexams.com provides free 24x7 technical support to assist candidates with any queries or issues they may encounter while using their services. Their certified experts are available to provide guidance and help candidates throughout their exam preparation journey.*

For More exams visit <https://killexams.com/vendors-exam-list>  
*Kill your exam at First Attempt....Guaranteed!*